

**Mobile  
Fencing &  
Security**



# Product Brochure

Export



Temporary Outdoor Security

Reliable solutions for temporary perimeter protection

Heras Mobile Fencing & Security is the expert in temporary security solutions, offering a complete range of products for sale and rental. Discover our high-quality selection of temporary fencing, gates, and accessories. Ideal for construction sites, infrastructure projects, government use, and event security.



We are Garda Group

Garda Group is the leading provider of 360° security solutions in Europe. With more than 3,100 dedicated employees, we combine local presence with deep industry expertise. Our comprehensive offering spans Perimeter Security, Technical Security, Industrial Doors, and Road Safety—always delivering high-quality products and services tailored to our customers’ needs.

When it comes to security, we are your committed and innovative single point of contact, prioritizing customer proximity, along with quality, safety and environmental responsibility across our entire value chain.



Our goal is to provide the optimal balance between price and quality. Customer focus is in our DNA. You and your clients will feel safe and confident with our approach and the solutions we offer. We add significant value to our products through excellent logistics, detailed assembly instructions, and high-quality accessories that enhance safety for your workers, end users, and the environment.

A Reliable Partner

Heras Mobile specializes in securing temporary sites across Europe and beyond. With over 70 years of experience, we are the experts in temporary outdoor security solutions. Our commitment to professionalism, approachability, and proactive problem-solving sets us apart.

Heras Mobile is the European market leader, with state-of-the-art production

facilities in Belgium, France, and the Czech Republic. From functional construction fences to advanced solutions offering the highest levels of protection, we serve the market with a wide range of safety needs for temporary locations.

Our dedication to reliability is rooted in our ability to keep promises and foster mutual respect and trust with our customers. Our dedicated teams ensure that large-scale projects are executed seamlessly, providing peace of mind with every installation.



Driving Sustainability in Temporary Fencing

Securing the Future

At Heras Mobile Fencing & Security, we take pride in our commitment to sustainability within the construction industry. As a market leader, Heras Mobile prioritizes a more sustainable and secure production, process innovation, and entrepreneurship. We integrate our ESG policy and a focus on safety into our daily operations, and we work alongside our partners and suppliers to discover even better solutions.

Our three European production units are designed for maximum efficiency, focusing on energy and CO2 reduction through innovative techniques and smart planning. We are dedicated to continuously investing in future-proof, energy-efficient production plants.

Our Approach to Safety, Health, and the Environment

Heras Mobile adheres to strict policies on these topics, and we believe in working together with our staff, suppliers, and customers to sustain the entire supply chain. Our core policies include:

Safety

Zero accidents are our goal, whether in production, transport, or assembly. Safety is our top priority, and we maintain a certified security management system to ensure the highest standards.

Health


Creating a safe environment, fostering a positive working atmosphere, and ensuring good working conditions are key to our approach. We aim to prevent incidents, reduce sick leave, and promote the personal development of our employees.

Environment

We are dedicated to minimizing our environmental impact. This involves focusing on both our own activities and our broader impact across the value chain. In partnership with our suppliers, we are actively working to reduce emissions and drive the transition towards a circular economy.









### Mobile Fence M350

Specifications	
Article code	C0300000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	22 x 38
Tube-H thickness (mm)	1
Tube-V thickness (mm)	0.9
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	355 x 100
Package quantity	105 (84+21)
Weight (kg)	10




### Mobile Fence M400 + Corner Brackets

Specifications	
Article code	C0221000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	250 x 100
Package quantity	80 (68+12)
Weight (kg)	17.5




### Mobile Fence M300

Specifications	
Article code	C5107000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 38
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	0.9
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	250 x 100
Package quantity	86 (72+14)
Weight (kg)	13



### Mobile Fence M400 + Tube-H

Specifications	
Article code	C0209000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Extra Tube diameter (mm)	30
Extra Tube thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	250 x 100
Package quantity	80 (68+12)
Weight (kg)	20




### Mobile Fence M300 + Corner Brackets

Specifications	
Article code	C5121000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 38
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	0.9
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	250 x 100
Package quantity	86 (72+14)
Weight (kg)	13.5




### Fitting Panel M400 (2m\*2,2m)

Specifications	
Article code	C0226000
Dimensions (mm)	2000 x 2252
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	250 x 100
Package quantity	68
Weight (kg)	12.5



### Mobile Fence M400


Specifications	
Article code	C0207000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	250 x 100
Package quantity	80 (68+12)
Weight (kg)	17



### Mobile Fence Round Top Basic

Specifications	
Article code	C4600000
Dimensions (mm)	1960 x 3500
Tube diameter (mm)	38 x 38
Tube-H thickness (mm)	1
Tube-V thickness (mm)	1
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	355 x 100
Package quantity	70 (60+10)
Weight (kg)	13






Mobile Fence Round Top Anti-Climb

Specifications


Article Code	C4700000
Dimensions (mm)	1960 x 3500
Tube diameter (mm)	38 x 38
Tube-H thickness (mm)	1
Tube-V thickness (mm)	1
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	355 x 40
Package quantity	70 (60+10)
Weight (kg)	16.5



Mobile fence M450 + Corner Brackets + 3xV

Specifications


Article code	C2104000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Extra Tube diameter (mm)	30
Extra Tube thickness (mm)	1.25
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	355 x 40
Package quantity	80 (68+12)
Weight (kg)	19.5



Mobile Fence Round Top Anti-Climb Tube-V

Specifications


Article Code	C4710000
Dimensions (mm)	1960 x 3500
Tube diameter (mm)	38 x 38
Tube-H thickness (mm)	1
Tube-V thickness (mm)	1
Extra Tube diameter (mm)	30
Extra Tube thickness (mm)	1.25
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	355 x 40
Package quantity	70 (60+10)
Weight (kg)	18



Mobile Fence M500 + Corner Brackets

Specifications


Article code	C0102000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	160 x 40
Package quantity	80 (68+12)
Weight (kg)	23.5



Mobile Fence M450 + Corner Brackets

Specifications

Article code	C2102000
Dimensions (mm)	2000 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	3 x 2.5
Mesh opening (mm)	355 x 40
Package quantity	80 (68+12)
Weight (kg)	18



Mobile fence M550 (2,45m\*3,5m)


Specifications

Article Code	C1200000
Dimensions (mm)	2450 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.5
Tube-V thickness (mm)	1.5
Extra Tube diameter (mm)	30
Extra Tube thickness (mm)	1.5
Wire thickness (mm)	4 x 3
Mesh opening (mm)	150 x 35
Package quantity	64
Weight (kg)	36.5






Mobile Fence M100 (1,2m\*3,5m)



Specifications

Article code	C1300000
Dimensions (mm)	1200 x 3500
Tube diameter (mm)	22 x 42
Tube-H thickness (mm)	1
Tube-V thickness (mm)	1.25
Wire thickness (mm)	3 x 3
Mesh opening (mm)	300 x 100
Package quantity	80
Weight (kg)	7.5


Mobile Fence M100 (1.2m\*3.5m)  
+ Hook & Eye + Corner Brackets



Specifications

Article code	C1323000
Dimensions (mm)	1200 x 3500
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	3 x 3
Mesh opening (mm)	250 x 100
Package quantity	68
Weight (kg)	11.5


Mobile Fence Round Top M100 (1,2m\*3,5m)



Specifications

Article code	C3900000
Dimensions (mm)	1200 x 3500
Tube diameter (mm)	38 x 38
Tube-H thickness (mm)	1
Tube-V thickness (mm)	1
Wire thickness (mm)	3 x 3
Mesh opening (mm)	250 x 100
Package quantity	60
Weight (kg)	10.5


Crush Barrier M135 - 15 bars



Specifications

Article code	C3600000
Dimensions (mm)	1100 X 2300
Bar distance (mm)	13.5
Vertical Bar number	15
Frame Tube diameter (mm)	38
Vertical Bar diameter (mm)	12
Frame Tube thickness (mm)	1
Vertical Bar thickness (mm)	1
Package quantity	25
Weight (kg)	10

Crush Barrier M125 - 19 bars



Specifications

Article code	C1400000
Dimensions (mm)	1100 X 2500
Bar distance (mm)	100
Vertical Bar number	19
Frame Tube diameter (mm)	38
Vertical Bar diameter (mm)	15
Frame Tube thickness (mm)	1.5
Vertical Bar thickness (mm)	2
Package quantity	55
Weight (kg)	15.5

Accessoires



Transport rack for  
crush barriers M135



Transport rack for  
crush barriers M125





## Noise Control Barrier 2.0



### Specifications

Article code:	E0807
Dimensions (mm)	2 x 2000 x 1205
Package quantity	1
Weight (kg)	8

## Cityfence M800 (RAL 9010)



### Specifications

Article code	C1700000
Dimensions (mm)	2000 x 2160
Profile dimensions (mm)	1825 x 2090
Tube-V diameter (mm)	42
Tube-V thickness (mm)	1.25
Package quantity	28
Weight (kg)	25.5

## Combifence M825 (RAL 5010)



### Specifications

Article code	C2600000
Dimensions (mm)	2000 x 2160
Profile dimensions (mm)	1094 x 2076
Tube diameter (mm)	30 x 42
Tube-H thickness (mm)	1.25
Tube-V thickness (mm)	1.25
Wire thickness (mm)	4 x 3
Mesh opening (mm)	150 x 35
Package quantity	28
Weight (kg)	24

## Pedestrian Gate Round Top



### Specifications

Article code	P1502
Dimensions (mm)	2000 x 1150
Package quantity	1
Weight (kg)	14.4

## Vehicle Gate Round Top



### Specifications

Article code	P1504
Dimensions (mm)	2000 x 4261
Package quantity	1
Weight (kg)	35.6

## Accessoires



42/60 High Security  
coupler + Hinge ring





### Sliding fence construction set

#### Specifications


Article code	P0800
Dimensions (mm)	2135 x 3593
Clear width (m)	3,5
Required installation space (m)	7
Dimensions depth (mm)	150
Weight (kg)	19.36



### Pedestrian Gate with Hinge and Wheel

#### Specifications

Article code	P0601
Dimensions (mm)	2000 x 1180
Clear width (m)	1,2
Mesh opening (mm)	250 x 100
Package quantity	1
Weight (kg)	11.5



### Pedestrian Gate M500 (1,2m)

#### Specifications

Article Code	P0500
Dimensions (mm)	2000 x 1180
Clear width (m)	1,2
Mesh opening (mm)	150 x 35
Package quantity	25
Weight (kg)	14.5

### Accessoires



Wheel



Hingeset for pedestrian gate



42/60 High Security coupler + Hinge ring



Mobile Fence Bracket




Steel footing flat

### Accessoires

#### Safety



42/42 Security coupler basic



42/42 Security coupler



42/42 High Security coupler



High Security key



Anti-lift device

#### Stability



Recycled footing 25 kg P



Recycled footing with gap 18 kg



Recycled footing 14 kg



Concrete footing 35 kg



Concrete footing 24 kg



Steel footing flat



Steel footing for brace



Brace




Soilpin for brace



Strut with baseplate

#### Blinding and promotion



Fencenet green 50 m



Tarpaulin black (also available in blue & white)



Tarpaulin black fire-retardant 50m



Custom nameplate



Fence Lifting Tool

#### Storage and transport



Transport rack PVC for 28 fences vertical



Transport rack-V for 30 fences + foot + coupler



Transport rack-V for 25 fences



Transport rack-V for 30 fences



Strap Heras



# Mobile Fencing & Security



## **Heras Mobile Fencing & Security**

PO Box 145, 5680 AC  
Best  
The Netherlands  
**T** +31 (0)499 551 508  
**E** [info@heras-mobile.com](mailto:info@heras-mobile.com)

Disclaimer. There are no rights to be derived from the technical specification. You should always consider up to 10% tolerance deviations. Heras herewith complies with NEN-EN 10305-3 © Heras. Versie 1.1 2025

[www.heras-mobile.com](http://www.heras-mobile.com)

